NAME

citetags – extract BibTeX citation tags from a LaTeX source or .aux file

SYNOPSIS

citetags *LaTeX source or .aux file >tagsfile*

DESCRIPTION

citetags extracts BIBTEX citation tags from a LATEX source file or *.aux* file and sends them to *stdout*, possibly for later input to **citefind**(1).

citetags and **citefind**(1) can be used to extract from a large BIBTEX bibliography data base just those bibliography entries that are actually used in a particular document, perhaps for submission to a publisher, or distribution in electronic form.

BUGS

citetags is not smart enough to incorporate BIBTEX cross references unless they are themselves cited.

That feature should be added.

SEE ALSO

bibcheck(1), **bibclean**(1), **bibdup**(1), **bibextract**(1), **bibjoin**(1), **biblabel**(1), **biblex**(1), **biborder**(1), **bibparse**(1), **bibsort**(1), **bibtex**(1), **bibunlex**(1), **citefind**(1), **citesub**(1), **gawk**(1), **latex**(1), **nawk**(1), **tex**(1).

FILES

/usr/local/share/lib/bibextract/citetags.awk	**nawk**(1) program for tag extraction.
/usr/local/bin/citetags	user-callable shell script to invoke **nawk**(1).

AUTHOR

Nelson H. F. Beebe
Center for Scientific Computing
University of Utah
Department of Mathematics, 322 INSCC
155 S 1400 E RM 233
Salt Lake City, UT 84112-0090
USA
Tel: +1 801 581 5254
FAX: +1 801 585 1640, +1 801 581 4148
Email: beebe@math.utah.edu, beebe@acm.org, beebe@ieee.org (Internet)
WWW: http://www.math.utah.edu/~beebe